

Refine Search

Search Results -

Terms	Documents
L7 and ((creat\$3 or generat\$3) near ("user-defined typed") near database)	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L8

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, May 06, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L8</u>	L7 and ((creat\$3 or generat\$3) near ("user-defined typed") near database)	0	<u>L8</u>
<u>L7</u>	L6 and context	14	<u>L7</u>
<u>L6</u>	L5 and relation\$5	14	<u>L6</u>
<u>L5</u>	L4 and C++	15	<u>L5</u>
<u>L4</u>	L1 and L2 and L3	19	<u>L4</u>
<u>L3</u>	("common language runtime") or CLR	23507	<u>L3</u>
<u>L2</u>	("sequential query language") or SQL	16766	<u>L2</u>
<u>L1</u>	UDT or ("user defined type")	1632	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L10 and ((creat\$3 or generat\$3) near ("user-defined typed"))	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L11

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Friday, May 06, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L11</u>	L10 and ((creat\$3 or generat\$3) near ("user-defined typed"))	0	<u>L11</u>
<u>L10</u>	L9 and L7	10	<u>L10</u>
<u>L9</u>	707/\$.ccls.	26491	<u>L9</u>
<u>L8</u>	L7 and ((creat\$3 or generat\$3) near ("user-defined typed") near database)	0	<u>L8</u>
<u>L7</u>	L6 and context	14	<u>L7</u>
<u>L6</u>	L5 and relation\$5	14	<u>L6</u>
<u>L5</u>	L4 and C++	15	<u>L5</u>
<u>L4</u>	L1 and L2 and L3	19	<u>L4</u>
<u>L3</u>	("common language runtime") or CLR	23507	<u>L3</u>
<u>L2</u>	("sequential query language") or SQL	16766	<u>L2</u>
<u>L1</u>	UDT or ("user defined type")	1632	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L12 and L7	3

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L13

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Friday, May 06, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L13</u>	L12 and L7	3	<u>L13</u>
<u>L12</u>	717/\$.ccls.	8410	<u>L12</u>
<u>L11</u>	L10 and ((creat\$3 or generat\$3) near ("user-defined typed"))	0	<u>L11</u>
<u>L10</u>	L9 and L7	10	<u>L10</u>
<u>L9</u>	707/\$.ccls.	26491	<u>L9</u>
<u>L8</u>	L7 and ((creat\$3 or generat\$3) near ("user-defined typed") near database)	0	<u>L8</u>
<u>L7</u>	L6 and context	14	<u>L7</u>
<u>L6</u>	L5 and relation\$5	14	<u>L6</u>
<u>L5</u>	L4 and C++	15	<u>L5</u>
<u>L4</u>	L1 and L2 and L3	19	<u>L4</u>
<u>L3</u>	("common language runtime") or CLR	23507	<u>L3</u>
<u>L2</u>	("sequential query language") or SQL	16766	<u>L2</u>

L1 UDT or ("user defined type")

1632 L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(L14 or L15 or L16 or L17 or L18 or L19 or L20 or L21) and L4	2

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L22

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, May 06, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L22</u>	(L14 or L15 or L16 or L17 or L18 or L19 or L20 or L21) and L4	2	<u>L22</u>
<u>L21</u>	717/159.ccls.	235	<u>L21</u>
<u>L20</u>	717/148.ccls.	213	<u>L20</u>
<u>L19</u>	717/146.ccls.	244	<u>L19</u>
<u>L18</u>	717/140-141.ccls.	679	<u>L18</u>
<u>L17</u>	717/136.ccls.	339	<u>L17</u>
<u>L16</u>	717/122.ccls.	120	<u>L16</u>
<u>L15</u>	717/114-115.ccls.	409	<u>L15</u>
<u>L14</u>	717/106.ccls.	300	<u>L14</u>
<u>L13</u>	L12 and L7	3	<u>L13</u>
<u>L12</u>	717/\$.ccls.	8410	<u>L12</u>
<u>L11</u>	L10 and ((creat\$3 or generat\$3) near ("user-defined typed"))	0	<u>L11</u>
<u>L10</u>	L9 and L7	10	<u>L10</u>

<u>L9</u>	707/\$.ccls.	26491	<u>L9</u>
<u>L8</u>	L7 and ((creat\$3 or generat\$3) near ("user-defined typed") near database)	0	<u>L8</u>
<u>L7</u>	L6 and context	14	<u>L7</u>
<u>L6</u>	L5 and relation\$5	14	<u>L6</u>
<u>L5</u>	L4 and C++	15	<u>L5</u>
<u>L4</u>	L1 and L2 and L3	19	<u>L4</u>
<u>L3</u>	("common language runtime") or CLR	23507	<u>L3</u>
<u>L2</u>	("sequential query language") or SQL	16766	<u>L2</u>
<u>L1</u>	UDT or ("user defined type")	1632	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L4 and ((context near ((first or second) near3 database)))	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L6

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Friday, May 06, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L6</u>	L4 and ((context near ((first or second) near3 database)))	0	<u>L6</u>
<u>L5</u>	L4 and ((context near (first or second) near3 database))	0	<u>L5</u>
<u>L4</u>	L3 and format\$	48	<u>L4</u>
<u>L3</u>	L2 and (context same database)	50	<u>L3</u>
<u>L2</u>	(persist\$3 near instance\$1) and context	137	<u>L2</u>
<u>L1</u>	((("user-defined type") same (persist\$3 near instance\$1)) and ("context database"))	0	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(L14 or L15 or L16) and L2	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L17

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, May 06, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L17</u>	(L14 or L15 or L16) and L2	0	<u>L17</u>
<u>L16</u>	20020091702	2	<u>L16</u>
<u>L15</u>	20020152422	2	<u>L15</u>
<u>L14</u>	20020198891	2	<u>L14</u>
<u>L13</u>	L12 and L2	0	<u>L13</u>
<u>L12</u>	L11 and (user near defin\$3 near type)	4	<u>L12</u>
<u>L11</u>	(6108004 or 6112024 or 6199195 or 6338056 or 6370541 or 6519597 or 6556983 or 6578046 or 6772178).pn.	18	<u>L11</u>
<u>L10</u>	L9 and L2	0	<u>L10</u>
<u>L9</u>	L7 and (user near defin\$3 near type)	4	<u>L9</u>
<u>L8</u>	L7 and (user near defin\$ near type)	5	<u>L8</u>
<u>L7</u>	(6070174 or 6199100 or 6223344 or 6505211 or 6671687 or 6708196 or 6785690 or 5900870 or 6047291).pn.	19	<u>L7</u>

<u>L6</u>	L4 and ((context near ((first or second) near3 database)))	0	<u>L6</u>
<u>L5</u>	L4 and ((context near (first or second) near3 database))	0	<u>L5</u>
<u>L4</u>	L3 and format\$	48	<u>L4</u>
<u>L3</u>	L2 and (context same database)	50	<u>L3</u>
<u>L2</u>	(persist\$3 near instance\$1) and context	137	<u>L2</u>
<u>L1</u>	((("user-defined type") same (persist\$3 near instance\$1)) and ("context database"))	0	<u>L1</u>

END OF SEARCH HISTORY

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [All](#)

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((('user defined typed') <paragraph> ('common language runtime'))<in>metadata))"

Your search matched 0 of 1154623 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☒ e-mail[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IE

Indexed by
 Inspec

**IEEE Xplore**
RELEASE 2.0[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((('user defined typed') <paragraph> sql)<in>metadata))"

Your search matched 0 of 1154623 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☒ e-mail[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IE

Indexed by
 Inspec

**IEEE Xplore**
RELEASE 2.0[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alert](#)

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((user <near> defined <near> typed) <paragraph> context <paragraph> relation*)<in>metadata)"

☒ e-mail

Your search matched 2 of 1154623 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

Select Article Information

- | | |
|--------------------------|--|
| <input type="checkbox"/> | 1. Development of situation-aware application software for ubiquitous computing environments
Yau, S.S.; Yu Wang; Karim, F.;
Computer Software and Applications Conference, 2002. COMPSAC 2002. Proceedings. 26th Annual International Conference, 26-29 Aug. 2002 Page(s):233 - 238
AbstractPlus Full Text: PDF(282 KB) IEEE CNF |
| <input type="checkbox"/> | 2. Towards a context aware mining of user interests for consumption of multimedia documents
Wallace, M.; Stamou, G.;
Multimedia and Expo, 2002. ICME '02. Proceedings. 2002 IEEE International Conference on Multimedia and Expo, 2002. ICME '02. Proceedings. 2002 IEEE International Conference on Multimedia and Expo, 26-29 Aug. 2002 Page(s):733 - 736 vol.1
AbstractPlus Full Text: PDF(363 KB) IEEE CNF |

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IEEE

Indexed by
 Inspec



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"creating user defined type" + "different format" + "persisting"

SEARCH

THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used creating user defined type different format persisting instances context database sequential query language

Found 1 of 154,226

Sort results by

relevance



[Save results to a Binder](#)

[Try an Advanced Search](#)

Display results

expanded form



[Search Tips](#)

[Try this search in The ACM Guide](#)

☐ Open results in a new window

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

1 The Desert environment

Steven P. Reiss

October 1999 **ACM Transactions on Software Engineering and Methodology (TOSEM)**,
Volume 8 Issue 4

Full text available: pdf(868.64 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The Desert software engineering environment is a suite of tools developed to enhance programmer productivity through increased tool integration. It introduces an inexpensive form of data integration to provide additional tool capabilities and information sharing among tools, uses a common editor to give high-quality semantic feedback and to integrate different types of software artifacts, and builds virtual files on demand to address specific tasks. All this is done in an open and extensible ...

Keywords: integrated programming environments, program editors

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:



[Adobe Acrobat](#)



[QuickTime](#)



[Windows Media Player](#)



[Real Player](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"creating user-defined type" + "different format" + "persisting"

SEARCH

THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used **creating user defined type different format persisting instances context database**

Found 1 of 154,226

Sort results by

relevance



[Save results to a Binder](#)

Display results

expanded form



[Search Tips](#)

☐ Open results in a new window

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

1 The Desert environment

Steven P. Reiss

October 1999 **ACM Transactions on Software Engineering and Methodology (TOSEM)**,
Volume 8 Issue 4

Full text available: pdf(868.64 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The Desert software engineering environment is a suite of tools developed to enhance programmer productivity through increased tool integration. It introduces an inexpensive form of data integration to provide additional tool capabilities and information sharing among tools, uses a common editor to give high-quality semantic feedback and to integrate different types of software artifacts, and builds virtual files on demand to address specific tasks. All this is done in an open and extensible ...

Keywords: integrated programming environments, program editors

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"generating user defined type" + "different format" + "persisti

SEARCH

THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used **generating user defined type different format persisting instances context database sequential query language**

Found 1 of 154,226

Sort results by

relevance

Display results

expanded form



[Save results to a Binder](#)



[Search Tips](#)

☐ Open results in a new window

[Try an Advanced Search](#)

[Try this search in The ACM Guide](#)

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [The Desert environment](#)

Steven P. Reiss

October 1999 **ACM Transactions on Software Engineering and Methodology (TOSEM)**,
Volume 8 Issue 4

Full text available:  pdf(868.64 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#), [review](#)

The Desert software engineering environment is a suite of tools developed to enhance programmer productivity through increased tool integration. It introduces an inexpensive form of data integration to provide additional tool capabilities and information sharing among tools, uses a common editor to give high



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"creating user defined type" + "different format" + "persisting"

SEARCH

THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used creating user defined type different format persisting instances context database common language runtime

Found 1 of 154,226

Sort results by

relevance



[Save results to a Binder](#)

Display results

expanded form



[Search Tips](#)

☐ Open results in a new window

[Try an Advanced Search](#)

Try this search in [The ACM Guide](#)

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

1 The Desert environment

Steven P. Reiss

October 1999 **ACM Transactions on Software Engineering and Methodology (TOSEM)**,
Volume 8 Issue 4

Full text available: pdf(868.64 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The Desert software engineering environment is a suite of tools developed to enhance programmer productivity through increased tool integration. It introduces an inexpensive form of data integration to provide additional tool capabilities and information sharing among tools, uses a common editor to give high-quality semantic feedback and to integrate different types of software artifacts, and builds virtual files on demand to address specific tasks. All this is done in an open and extensible ...

Keywords: integrated programming environments, program editors

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)